

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/2/2018 Revision date: 6/24/2020 Supersedes version of: 7/10/2019 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Bubblegum #EU31673F UFI : G9QT-128U-P00X-5FSA

Product code : EU31673F

Type of product : Perfumes, Fragrances
Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 79424 Auggen - Germany T 49-7631-931-8900

SDS@frenchcolor.com - www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category 4 H302
Skin sensitization, Category 1 H317
Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Contains : alpha-Methylcinnamic aldehyde; Linalool; Heliotropine crystals; Aldehyde C-16; Benzyl

benzoate; Estragole (Methyl chavicol); d-Limonene

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|-----------------------|--|
| Benzyl benzoate | (CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33 | 20.15 – 40.15 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| d-Limonene | (CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35 | 3.925 – 7.85 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Methyl salicylate | (CAS-No.) 119-36-8 (EC-No.) 204-317-7 | 0.600525 – 1.20105 | Acute Tox. 4 (Oral), H302 Repr. 2, H361 |
| Heliotropine crystals | (CAS-No.) 120-57-0 (EC-No.) 204-409-7 (REACH-no) 01-2119983608-21 | 0.6 – 1.2 | Skin Sens. 1B, H317 |
| Veltol plus crystals | (CAS-No.) 4940-11-8 (EC-No.) 225-582-5 | 0.525 – 1.05 | Acute Tox. 4 (Oral), H302 |
| Vanillin | (CAS-No.) 121-33-5 (EC-No.) 204-465-2 (REACH-no) 01-2119516040-60 | 0.5 – 1 | Eye Irrit. 2, H319 |
| Eugenol | (CAS-No.) 97-53-0 (EC-No.) 202-589-1 (REACH-no) 01-2119971802-33 | 0.447825 – 0.89565 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Isoamyl acetate substance with a Community workplace exposure limit | (CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32 | 0.35 – 0.7 | Flam. Liq. 3, H226 |
| alpha-Methylcinnamic aldehyde | (CAS-No.) 101-39-3 (EC-No.) 202-938-8 (REACH-no) 01-2119538797-21 | 0.3 – 0.6 | Skin Sens. 1, H317 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Allyl caproate | (CAS-No.) 123-68-2 (EC-No.) 204-642-4 (REACH-no) 01-2119983573-26 | 0.275 – 0.55 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |
|-----------------------------|---|-----------------------|---|
| Linalool | (CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42 | 0.250525 – 0.50105 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Aldehyde C-16 | (CAS-No.) 77-83-8 (EC-No.) 201-061-8 (REACH-no) 01-2119967770-28 | 0.075 – 0.15 | Skin Sens. 1B, H317 Aquatic Chronic 2, H411 |
| beta-Caryophyllene | (CAS-No.) 87-44-5 (EC-No.) 201-746-1 (REACH-no) 01-2120745237-53 | 0.054075 – 0.10815 | Asp. Tox. 1, H304 Aquatic Chronic 4, H413 Skin Sens. 1B, H317 |
| Estragole (Methyl chavicol) | (CAS-No.) 140-67-0 (EC-No.) 205-427-8 (REACH-no) 01-2120783278-41 | 0.05 – 0.1 | Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Muta. 2, H341 Carc. 2, H351 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| 4. I. Description of first aid measures | |
|---|--|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center/doctor/physician if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. |
| First-aid measures after skin contact | : Wash with plenty of soap and water. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapor-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Keep away

from heat/sparks/open flames/hot surfaces. - No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. No open flames. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands and

other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid context with akin and over

contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

6/24/2020 (Version: 2.0) EN (English US) 4/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage conditions : Keep in fireproof place. Keep only in the original container in a cool, well ventilated place

away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated

place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Isoamyl acetate (123-92-2) | | |
|---|--|--|
| EU - Occupational Exposure Limits | | |
| IOELV TWA (mg/m³) | 270 mg/m³ | |
| IOELV TWA (ppm) | 50 ppm | |
| IOELV STEL (mg/m³) | 540 mg/m³ | |
| IOELV STEL (ppm) | 100 ppm | |
| Austria - Occupational Exposure Limits | | |
| MAK Daily average value (mg/m³) | 270 mg/m³ (Pentyl acetate (all isomers)) | |
| MAK Daily average value (ppm) | 50 ppm (Pentyl acetate (all isomers)) | |
| MAK Short time value [mg/m³] | 540 mg/m³ (Pentylacetate) | |
| MAK Short time value [ppm] | 100 ppm (Pentylacetate) | |
| Belgium - Occupational Exposure Limits | | |
| Limit value [mg/m³] | 270 mg/m³ | |
| Limit value [ppm] | 50 ppm | |
| Short time value [mg/m³] | 540 mg/m³ | |
| Short time value [ppm] | 100 ppm | |
| Bulgaria - Occupational Exposure Limits | | |
| OEL TWA (mg/m³) | 270 mg/m³ | |
| OEL TWA (ppm) | 50 ppm | |
| OEL STEL (mg/m³) | 540 mg/m³ | |
| OEL STEL (ppm) | 100 ppm | |
| Croatia - Occupational Exposure Limits | | |
| GVI (granična vrijednost izloženosti) (mg/m³) | 270 mg/m³ | |
| GVI (granična vrijednost izloženosti) (ppm) | 50 ppm | |
| KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³) | 540 mg/m³ | |
| KGVI (kratkotrajna granična vrijednost izloženosti) (ppm) | 100 ppm | |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Isoamyl acetate (123-92-2) | | |
|---|---------------------------------------|--|
| Cyprus - Occupational Exposure Limits | | |
| OEL TWA (mg/m³) | 270 mg/m³ | |
| OEL TWA (ppm) | 50 ppm | |
| OEL STEL (mg/m³) | 540 mg/m³ | |
| OEL STEL (ppm) | 100 ppm | |
| Denmark - Occupational Exposure Limits | | |
| Grænseværdi (8 timer) (mg/m³) | 271 mg/m³ (Amyl acetate, all isomers) | |
| Grænseværdi (8 timer) (ppm) | 50 ppm (Amyl acetate, all isomers) | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA (mg/m³) | 270 mg/m³ | |
| OEL TWA (ppm) | 50 ppm | |
| OEL STEL (mg/m³) | 540 mg/m³ | |
| OEL STEL (ppm) | 100 ppm | |
| Finland - Occupational Exposure Limits | | |
| HTP-arvo (8h) (mg/m³) | 270 mg/m³ (Pentyl acetate) | |
| HTP-arvo (8h) (ppm) | 50 ppm (Pentyl acetate) | |
| HTP-arvo (15 min) | 540 mg/m³ | |
| HTP-arvo (15 min) (ppm) | 100 ppm | |
| France - Occupational Exposure Limits | | |
| VME [mg/m³] | 270 mg/m³ (restrictive limit) | |
| VME [ppm] | 50 ppm (restrictive limit) | |
| VLE [mg/m³] | 540 mg/m³ (restrictive limit) | |
| VLE [ppm] | 100 ppm (restrictive limit) | |
| Germany - Occupational Exposure Limits (TRGS 900) | | |
| Occupational exposure limit value (mg/m³) | 270 mg/m³ | |
| Occupational exposure limit value (ppm) | 50 ppm | |
| Gibraltar - Occupational Exposure Limits | | |
| Eight hours mg/m3 | 270 mg/m³ | |
| Eight hours ppm | 50 ppm | |
| Short-term mg/m3 | 540 mg/m³ | |
| Short-term ppm | 100 ppm | |
| Greece - Occupational Exposure Limits | | |
| OEL TWA (mg/m³) | 530 mg/m³ | |
| OEL TWA (ppm) | 100 ppm | |
| OEL STEL (mg/m³) | 800 mg/m³ | |
| OEL STEL (ppm) | 150 ppm | |
| Hungary - Occupational Exposure Limits | | |
| Exposure Limit Value | 270 mg/m³ | |
| CK-érték | 540 mg/m³ | |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Isoamyl acetate (123-92-2) | | | |
|--|---|--|--|
| Ireland - Occupational Exposure Limits | | | |
| OEL (8 hours ref) (mg/m³) | 260 mg/m³ | | |
| OEL (8 hours ref) (ppm) | 50 ppm | | |
| OEL (15 min ref) (mg/m3) | 520 mg/m³ | | |
| OEL (15 min ref) (ppm) | 100 ppm | | |
| Italy - Occupational Exposure Limits | | | |
| OEL TWA (mg/m³) | 270 mg/m³ | | |
| OEL TWA (ppm) | 50 ppm | | |
| OEL STEL (mg/m³) | 540 mg/m³ | | |
| OEL STEL (ppm) | 100 ppm | | |
| Latvia - Occupational Exposure Limits | | | |
| OEL TWA (mg/m³) | 270 mg/m³ | | |
| OEL TWA (ppm) | 50 ppm | | |
| Lithuania - Occupational Exposure Limits | | | |
| IPRV (mg/m³) | 270 mg/m³ | | |
| IPRV (ppm) | 50 ppm | | |
| TPRV (mg/m³) | 540 mg/m³ | | |
| TPRV (ppm) | 100 ppm | | |
| Luxembourg - Occupational Exposure Limits | | | |
| OEL TWA (mg/m³) | 270 mg/m³ | | |
| OEL TWA (ppm) | 50 ppm | | |
| OEL STEL (mg/m³) | 540 mg/m³ | | |
| OEL STEL (ppm) | 100 ppm | | |
| Malta - Occupational Exposure Limits | | | |
| OEL TWA (mg/m³) | 270 mg/m³ | | |
| OEL TWA (ppm) | 50 ppm | | |
| OEL STEL (mg/m³) | 540 mg/m³ | | |
| OEL STEL (ppm) | 100 ppm | | |
| Netherlands - Occupational Exposure Limits | Netherlands - Occupational Exposure Limits | | |
| Grenswaarde TGG 15MIN (mg/m³) | 530 mg/m³ | | |
| Poland - Occupational Exposure Limits | | | |
| NDS (mg/m³) | 250 mg/m³ | | |
| NDSCh (mg/m³) | 500 mg/m³ | | |
| Portugal - Occupational Exposure Limits | | | |
| OEL TWA (mg/m³) | 270 mg/m³ (indicative limit value) | | |
| OEL TWA (ppm) | 50 ppm (indicative limit value) | | |
| OEL STEL (mg/m³) | 540 mg/m³ (indicative limit value) | | |
| OEL STEL (ppm) | 100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers) | | |
| Romania - Occupational Exposure Limits | | | |
| OEL TWA (mg/m³) | 270 mg/m³ | | |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Isoamyl acetate (123-92-2) | | |
|--|---------------------------------------|--|
| OEL TWA (ppm) | 50 ppm | |
| OEL STEL (mg/m³) | 540 mg/m³ | |
| OEL STEL (ppm) | 100 ppm | |
| Slovakia - Occupational Exposure Limits | | |
| NPHV (priemerná) (mg/m³) | 270 mg/m³ | |
| NPHV (priemerná) (ppm) | 50 ppm | |
| NPHV (Hraničná) (mg/m³) | 540 mg/m³ | |
| Slovenia - Occupational Exposure Limits | | |
| OEL TWA (mg/m³) | 270 mg/m³ | |
| OEL TWA (ppm) | 50 ppm | |
| OEL STEL (mg/m³) | 540 mg/m³ | |
| OEL STEL (ppm) | 100 ppm | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (mg/m³) | 270 mg/m³ (indicative limit value) | |
| VLA-ED (ppm) | 50 ppm (indicative limit value) | |
| VLA-EC (mg/m³) | 540 mg/m³ | |
| VLA-EC (ppm) | 100 ppm | |
| Sweden - Occupational Exposure Limits | | |
| nivågränsvärde (NVG) (mg/m³) | 270 mg/m³ (Pentyl acetates) | |
| nivågränsvärde (NVG) (ppm) | 50 ppm (Pentyl acetates) | |
| kortidsvärde (KTV) (mg/m³) | 540 mg/m³ (Pentyl acetates) | |
| kortidsvärde (KTV) (ppm) | 100 ppm (Pentyl acetates) | |
| Norway - Occupational Exposure Limits | | |
| TWA (AN) (mg/m³) | 260 mg/m³ | |
| TWA (AN) (ppm) | 50 ppm | |
| TWA (Korttidsverdi) (mg/m3) | 325 mg/m³ (value calculated) | |
| TWA (Korttidsverdi) (ppm) | 75 ppm (value calculated) | |
| Turkey - Occupational Exposure Limits | | |
| OEL TWA (mg/m³) | 270 mg/m³ | |
| OEL TWA (ppm) | 50 ppm | |
| OEL STEL (mg/m³) | 540 mg/m³ | |
| OEL STEL (ppm) | 100 ppm | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH TWA (ppm) | 50 ppm (Pentyl acetate, all isomers) | |
| ACGIH STEL (ppm) | 100 ppm (Pentyl acetate, all isomers) | |

| d-Limonene (5989-27-5) | |
|--|-----------|
| Finland - Occupational Exposure Limits | |
| HTP-arvo (8h) (mg/m³) | 140 mg/m³ |
| HTP-arvo (8h) (ppm) | 25 ppm |
| HTP-arvo (15 min) | 280 mg/m³ |

6/24/2020 (Version: 2.0) EN (English US) 8/19

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| d-Limonene (5989-27-5) | | |
|---|---|--|
| HTP-arvo (15 min) (ppm) | 50 ppm | |
| Germany - Occupational Exposure Limits (TRGS 90 | 0) | |
| Occupational exposure limit value (mg/m³) | 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| Occupational exposure limit value (ppm) | 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| Chemical category | skin notation, Skin sensitization | |
| Slovenia - Occupational Exposure Limits | | |
| OEL TWA (mg/m³) | 28 mg/m³ | |
| OEL TWA (ppm) | 5 ppm | |
| OEL STEL (mg/m³) | 112 mg/m³ | |
| OEL STEL (ppm) | 20 ppm | |
| OEL chemical category (SI) | Potential for cutaneous absorption | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (mg/m³) | 168 mg/m³ | |
| VLA-ED (ppm) | 30 ppm | |
| OEL chemical category (ES) | Sensitizer, skin - potential for cutaneous absorption | |
| Norway - Occupational Exposure Limits | | |
| TWA (AN) (mg/m³) | 140 mg/m³ | |
| TWA (AN) (ppm) | 25 ppm | |
| TWA (Korttidsverdi) (mg/m3) | 175 mg/m³ (value calculated) | |
| TWA (Korttidsverdi) (ppm) | 37.5 ppm (value calculated) | |
| OEL chemical category (NO) | Sensitizing substance | |
| Switzerland - Occupational Exposure Limits | | |
| MAK (mg/m³) | 40 mg/m³ | |
| MAK (ppm) | 7 ppm | |
| KZGW (mg/m³) | 80 mg/m³ | |
| KZGW (ppm) | 14 ppm | |
| OEL chemical category (CH) | Sensitizer | |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Avoid all unnecessary exposure.

| Hand protection: | |
|-------------------------|--|
| Wear protective gloves. | |

Eye protection: Chemical goggles or safety glasses. Safety glasses

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber.

Odor : Fruity.

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 78.8 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Combustible liquid, Non flammable.

Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : 0.97

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapor-air mixture. Not established.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

| Bubblegum #EU31673F | |
|---------------------|----------------------------|
| ATE CLP (oral) | 1135.513 mg/kg body weight |

| alpha-Methylcinnamic aldehyde (101-39-3) | |
|--|------------------------|
| LD50 oral rat | 2050 mg/kg |
| LD50 oral | 2050 mg/kg body weight |
| LD50 dermal rabbit | > 5 g/kg |

| Allyl caproate (123-68-2) | |
|---------------------------------|-----------------------|
| LD50 oral | 300 mg/kg body weight |
| LD50 dermal | 300 mg/kg body weight |
| LC50 Inhalation - Rat (Vapours) | 3 mg/l/4h |

| Veltol plus crystals (4940-11-8) | |
|----------------------------------|------------------------|
| LD50 oral rat | 1150 mg/kg |
| LD50 oral | 1200 mg/kg body weight |

| Benzyl benzoate (120-51-4) | |
|----------------------------|------------------------|
| LD50 oral rat | 500 mg/kg |
| LD50 oral | 1500 mg/kg body weight |
| LD50 dermal rabbit | 4000 mg/kg |
| LD50 dermal | 4000 mg/kg body weight |

| Heliotropine crystals (120-57-0) | |
|----------------------------------|------------------------|
| LD50 oral rat | 2700 mg/kg |
| LD50 oral | 2700 mg/kg body weight |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Aldehyde C-16 (77-83-8) | | |
|--|------------------------|--|
| LD50 oral rat | 5470 mg/kg | |
| | | |
| d-Limonene (5989-27-5) | | |
| LD50 oral rat | 4400 mg/kg | |
| LD50 dermal rabbit | > 5 g/kg | |
| Linalool (78-70-6) | | |
| LD50 oral | 2790 mg/kg body weight | |
| Estragole (Methyl chavicol) (140-67-0) | | |
| LD50 oral rat | 1230 mg/kg | |
| LD50 oral | 1230 mg/kg body weight | |
| LD50 dermal rabbit | > 5000 mg/kg | |
| Methyl salicylate (119-36-8) | | |
| LD50 oral rat | 887 mg/kg | |
| LD50 oral | 890 mg/kg body weight | |
| LD50 dermal rabbit | > 5000 mg/kg | |
| Vanillin (121-33-5) | | |
| | | |
| LD50 dermal rabbit | > 5010 mg/kg | |

| Eugenol (97-53-0) | |
|-------------------|------------------------|
| LD50 oral rat | 1930 mg/kg |
| LD50 oral | 2500 mg/kg body weight |

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

| d-Limonene (5989-27-5) | |
|------------------------|----------------------|
| IARC group | 3 - Not classifiable |

| Eugenol (97-53-0) | |
|-------------------|----------------------|
| IARC group | 3 - Not classifiable |

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Harmful if swallowed. Based on available data, the classification criteria are not met.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

| - | | | _ | | |
|---|----|-----|---|----|---------|
| | ю, | - 4 | | OV | 141/ |
| | - | | | OX | ILV |
| | | | | | |

: Toxic to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

| Allyl caproate (123-68-2) | |
|---------------------------|---|
| LC50 fish 1 | 0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |

| Veltol plus crystals (4940-11-8) | | |
|----------------------------------|-------------|--|
| | LC50 fish 1 | > 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |

| Benzyl benzoate (120-51-4) | |
|----------------------------|--|
| LC50 fish 1 | 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |
| NOEC (chronic) | 0.168 mg/l |

| Heliotropine crystals (120-57-0) | |
|----------------------------------|--|
| LC50 fish 1 | 2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static]) |

| Aldehyde C-16 (77-83-8) | |
|-------------------------|---|
| LC50 fish 1 | 4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static]) |

| d-Limonene (5989-27-5) | |
|------------------------|--|
| LC50 fish 1 | 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| LC50 fish 2 | 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |

| Linalool (78-70-6) | |
|--------------------|--|
| EC50 96h algae (1) | 88.3 mg/l (Species: Desmodesmus subspicatus) |

| Vanillin (121-33-5) | |
|---------------------|--|
| LC50 fish 1 | 53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| LC50 fish 2 | 88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| NOEC (acute) | 10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight]) |

| Eugenol (97-53-0) | |
|-------------------|--|
| LC50 fish 1 | 13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |

12.2. Persistence and degradability

| Bubblegum #EU31673F | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

| Benzyl benzoate (120-51-4) | |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

6/24/2020 (Version: 2.0) EN (English US) 13/19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Estragole | (Meth | yl chavicol |) (| (140-67-0) |
|-----------|-------|-------------|-----|------------|
| | | | | |

Persistence and degradability Not established.

12.3. Bioaccumulative potential

Bubblegum #EU31673F

Bioaccumulative potential Not established.

Benzyl benzoate (120-51-4)

Partition coefficient n-octanol/water (Log Pow) 4

Bioaccumulative potential Not established.

Estragole (Methyl chavicol) (140-67-0)

Bioaccumulative potential Not established.

Methyl salicylate (119-36-8)

Partition coefficient n-octanol/water (Log Pow) 2.55

Vanillin (121-33-5)

Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations.

Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (RID) : Not applicable

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-

Limonene), 9, III, (E)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-

Limonene), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (d-Limonene), 9, III
Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Hazard labels (ADN) : 9



RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III

Packing group (RID) : Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : E EAC : •3Z

Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) P001, LP01 : PP1 Packing provisions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP2, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provision (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

| The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006: | | |
|--|--|--|
| Reference code | e Applicable | |
| 3(b) | alpha-Methylcinnamic aldehyde ; Allyl caproate ; Aldehyde C-16 ; Benzyl benzoate ; Estragole (Methyl chavicol) ; Linalool ; Methyl salicylate ; d-Limonene | |
| 3(c) | Allyl caproate ; Aldehyde C-16 ; Benzyl benzoate ; d-Limonene | |
| 3(a) | Isoamyl acetate ; d-Limonene | |
| 40. | Isoamyl acetate ; d-Limonene | |

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1) Water hazard class (WGK)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV) Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed : None of the components are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

Denmark

Class for fire hazard Store unit

Classification remarks

: 50 liter : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

: Class III-1

for the storage of flammable liquids must be followed

Danish National Regulations Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| ATE | Acute Toxicity Estimate |
|---------|---|
| BLV | Biological limit value |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| EC-No. | European Community number |
| EN | European Standard |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| vPvB | Very Persistent and Very Bioaccumulative |
| WGK | Water Hazard Class |

Other information : None.

| Full text of H- and EUH-phrases: | |
|----------------------------------|--|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhalation) Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Aquatic Chronic 4 | Hazardous to the aquatic environment - Chronic Hazard Category 4 |
| Asp. Tox. 1 | Aspiration hazard Category 1 |
| Carc. 2 | Carcinogenicity Category 2 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Flore Lie 0 | Flammatic Burity Octaving |
|---------------|---|
| Flam. Liq. 3 | Flammable liquids Category 3 |
| Muta. 2 | Germ cell mutagenicity Category 2 |
| Repr. 2 | Reproductive toxicity Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Skin sensitization, Category 1 |
| Skin Sens. 1B | Skin sensitization, Category 1B |
| H226 | Flammable liquid and vapor. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H341 | Suspected of causing genetic defects. |
| H351 | Suspected of causing cancer. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.